

Advice Provider

Advice₁

⋮

Advice_n¹

⋮

Advice_n²

⋮

Advice₁₀³

⋮

13a
13b
13c

Advice Consumer₁

14a

Advice Consumer₂

14b

Advice Consumer₁₀⁶

14c

Fig. 1




Fig 2




Fig. 3




Fig. 4




Fig-5





Fig 6



Fy 7

DATE: SAT MAR 21 1998 17:54:06 -0800
FROM: JOE ADVISOR <ja@advisories.com>
MIME-Version 1.0
ORGANIZATION: Universe Communications, Inc.
SUBJECT: You need to upgrade Advice Reader
RELEVANT-WHEN: version of file "Advice.exe"
 < 5.0
CONTENT-TYPE: text/html; charset us=ascii


<HTML><BODY>
Click here to <A HREF = "http://advisories.com/a"
download the latest version of Advice Reader.
</BODY></HTML>

SUBJECT LINE *182*

RELEVANCE CLAUSE *80*

MESSAGE BODY *81*

F_j 8



Fg. 9

Expression:

(not exists File 'System' of System Folder) or
(not exists File 'MacTCP DNR' of System Folder)





Fig 10



Fy 11

Object → **Unary Operator** → **Result-Object**

Object → **Property** → **Result-Object**



Object → **Named Property** → **Result-Object**

String Selector


Object 1 → **Binary Operator** → **Result-Object**

Object 2

F_j 12



F-2 13



F₂. 14

Inspector Library

Macintosh "Version" Inspector


```
(version, "major revision", maj-rev-meth)
(version, "minor revision", min-rev-meth)
(version, "stage", stage-meth)
(version, "country", country-meth)
(version, "string 1", string 1-meth)
(version, "string 2", string 2-meth)
```

Phrase Definitions
Data type associations
Method associations


```
METHOD maj-rev-meth;
METHOD min-rev-meth;
METHOD stage-meth;
METHOD country-meth;
METHOD string 1-meth;
METHOD string 2-meth;
```


Method Definitions

F₂ 15




Fj, 16






One-way Membrane




Example Source





\$IF(Computer='Macintosh'){\br/>As a Macintosh user, you
know how to navigate in the
Finder, in particular how to
use the Find File command .
}
\$IF(Computer='PC'){\br/>As a PC user, you know how
to navigate in the shell, in
particular how to use the
Start button .
}

Example Source


Your Machine has \$\$Size
of RAM\$\$ Mb of Memory.
Your Hard Disk has \$\$Size of
Boot Volume\$\$ total storage.







Fj. 22



23

